


FTCS-M131X-02DXX 10Gbps 220m Multi Mode Datacom SFP+ Transceiver

Features

- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆



Applications

- ◆
- ◆


Product description



F-tone Networks

北亿纤通科技有限公司

集团旗下



Absolute maximum rating

Parameters	Symbol	Min.	Typical	Max.	Unit

Recommended operating environment

Parameter	Symbol	Min.	Typical	Max.	Unit

LOW Speed Characteristics

Parameter	Symbol	Min.	Typical	Max	Unit

Electrical characteristics

Parameter	Conditions	Symbol	Min.	Typical	Max	Unit
Transmitter						
Receiver						



F-tone Networks

北京信通技术股份有限公司

网旗下

Digital Diagnostic Functions

Parameter	Symbol	Min.	Max	Unit	Notes
Accuracy					
	L				
	L				
	U				
Dynamic Range Accuracy					
	L				
	L				
	U				




Figure 2: Interface to Host PCB




Figure 3: Module Contact Assignment

Pin definition

Pin	Symbol	Name/Description

北亿纤通科技有限公司

集团旗下




Figure 6. Mechanical Specifications

Regulatory Compliance

Feature	Agency	Standard



Ordering information

Part Number	Product Description

References

Important Notice
